

Sample Received: **June 11, 2026**

COA Issued: **June 15, 2026**

PRODUCT INFORMATION

Vendor: Oasis Labs	Sample Name: KLOW 80mg	Sample Type: Blue lyophilized powder	Lot Number: 112455	MW (g/mol): 342.4, 403.2, 1419.5, 4964.2
------------------------------	----------------------------------	--	------------------------------	--

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS




Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW	KPV, GHK-Cu, BPC-157, TB-500	MALDI-MS	✓ Conforms
Content	50.31, 10.24, 10.19, 10.11 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram (Retention Time: 1.574, 2.153, 8.229, 8.400 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



Shane Straight
Shane Straight, M.S.
 Principal Chemist, Bioviridian Inc.